

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER:CORROSIVE. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, on skin, or clothing. May be fatal if swallowed or inhaled. Do not breathe vapor or spray mist. Wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N,R,P, or HE prefilter. Consult the MSDS for information about respirators and cartridges that have been tested and shown to be effective in removing hydrogen peroxide and peracetic acid from air. Wear chemical goggles, rubber gloves, and protective clothing when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Corrosive. Do not use in concentrated form. Mix only with water according to label instructions. Contact of concentrate with other sanitizers, cleaners or other material may cause fire.

Manufactured by **SOLVEY CHEMICALS, INC.**
3333 Richmond Avenue, Houston, TX 77098
USA (713) 525-6500
For emergency call Chemtrec (800) 424-9300

Proxitan® WW-12

Microbiocide

ACTIVE INGREDIENT:

Hydrogen Peroxide.....18.5%
Peroxyacetic Acid.....12.0%
Other Ingredients..... 69.5%
Total.....100.0%

DANGER

STRONG OXIDIZING AGENT
KEEP OUT OF REACH OF CHILDREN

FIRST AID STATEMENTS
IF IN EYES: Hold eyelids open and rinse slowly and gently for 15-20 minutes.
IF ON SKIN: -Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
IF INHALED:-Move person to fresh air. -If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. -Call a poison control center or doctor for treatment advice.
IF SWALLOWED : -Call poison control center or doctor immediately for treatment advice. -Drink promptly large quantities of water. -Do not induce vomiting unless told to do so by a poison control center or doctor. -Do not give anything by mouth to an unconscious person.
CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY FOR EMERGENCY MEDICAL INFORMATION
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Net Wt: pounds Weight per gallon : 9.2 lb.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE

Store in original vented container in a dry location away from heat and out of direct sunlight. In case of fire involving product, use water. In case of large quantities of spilled material, dike with sand or earth. Dilute with large quantities of water.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate, is a violation of Federal Law. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries or public waters unless the components of this product are specifically identified in a NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage plant authority. For additional information, refer to the product Material Data Sheet.

CONTAINER DISPOSAL

Plastic Containers (300 gallon tote, 4500 gallon tank trucks, 20,000 gallon railcars): Return for reuse. Plastic Containers (1 pint, 1 quart, and 1,5,30, and 55 gallon drums): Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Glass containers (1 pint, 1 quart, and 1 gallon): Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

EPA Reg. No 68660-1 EPA EST. NO. 601156-IL-001

Distributed by: **A GROWING ALTERNATIVE, INC.**
751 Fairview Church Road
Spruce Pine, NC 28777 USA (828) 766-6179

Proxitane® WW-12 Microbiocide

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONTROL OF ALGAL, FUNGAL, AND BACTERIAL GROWTH IN INDOOR, CLOSED LOOP, NON-FOOD CONTACT WATER SYSTEMS

TREATMENT OF RAW AND PROCESS WATER

(such as heat exchanger system water, boiler water, wet scrubber water, etc.) Proxitane® WW-12 may be applied to water at the inlet of the water system or any other suitable point. Apply with either shock, intermittent, or continuous dosing. Shock dosing may be applied for 1 to 2 hours, as necessary, whereas intermittent dosing is applied for 2 to 15 minutes, 4 to 100 times per day. For either shock, or intermittent dosing, apply 0.16 to 0.8 gallons Proxitane® WW-12 per 1000 gallons of water producing a peak concentration of Proxitane® WW-12 of 160 PPM to 800 ppm during dosing. This is approximately equivalent to peak dose of 20 to 100 ppm 100% peracetic acid. For continuous dosing applications, apply 0.01 to 0.3 gallons Proxitane® WW-12 to 1000 gallons of water, producing a peak concentration of 10 to 300 PPM Proxitane® WW-12. This is approximately equivalent to 1 to 35 ppm 100% peracetic acid.

TREATMENT OF COOLING WATER SYSTEMS

(such as cooling towers, evaporative condensers, etc...) - Severely fouled systems should be cleaned before treatment. Proxitane® WW-12 should be added to the system directly and not mixed with any other chemicals or additives. Contamination with other chemicals could result in lack of efficacy. Add Proxitane® WW-12 at a point in the system where uniform mixing and even distribution will occur such as the cooling tower basin sump. Shock doses may be applied for 1 to 2 hours, as necessary, whereas intermittent doses are applied for 5 to 60 minutes 1 to 100 times per day. For either shock, intermittent or continuous dosing, apply 0.01 to 0.07 gallons of Proxitane® WW-12 solution per 1,000 gallons of water. This will provide 10 to 70 ppm of Proxitane® WW-12, or 1 to 9 ppm of 100% peracetic acid. Repeat treatment as required to maintain control.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.

Manufactured by SOLVEY CHEMICALS, INC.
3333 Richmond Avenue, Houston, TX 77098
USA (713) 525-6500

For emergency call Chemtrec (800) 424-9300
EPA Reg. No 68660-1 EPA EST. NO. 601156-IL-001

Distributed by: A GROWING ALTERNATIVE, INC.
751 Fairview Church Road
Spruce Pine, NC 28777 USA (828) 766-6179